



**TO BE COMPLETED BY CUSTOMER / CONTRACTOR**

COMPANY :	P.O. NUMBER :		
SITE ADDRESS :			
SITE CONTACT & PHONE :			
PREFERRED DELIVERY DATE (TBC SW360) :			
STORMFILTER REFERENCE (IF APPLICABLE) :			
INLET PIPE Ø :	PIPE MATERIAL :	CORE DRILL Ø :	INLET (IL) :
OUTLET PIPE Ø :	PIPE MATERIAL :	CORE DRILL Ø :	OUTLET (IL) :
LID LEVEL (RL) :	DTI :		
COMPLETED BY :	SIGNED :	DATE :	

**TO BE COMPLETED BY SW360**

SW360 PRODUCT CODE :	PERLITE			ZPG	OTHER :
MEDIA TYPE (CIRCLE ONE) :					
CARTRIDGE QTY (STATE) :	PRE-INSTALLATION (Y/N) :				
SP FLOW RATE (CIRCLE ONE) :	FULL (Ø 27.6 ID)	3 QTR (Ø 24.0 ID)	HALF (Ø 19.7 ID)	OTHER :	
ACCESS COVERS (CIRCLE ONE) :	BLACKMUSTARD	WHITE/OPAL	GREEN		
AS DRAWN - YES or NO	OTHER :				
COMPLETED BY :	SIGNED :	DATE :			

**APPROX WEIGHTS**

VAULT WEIGHT: **12800 Kg** (EMPTY)  
 VAULT WEIGHT: **13350 Kg** (WITH 11 x ZPG CARTS FITTED)  
 LID WEIGHT: **3600 Kg**

**NOTES**

1. SW360 TO CONFIRM WEIGHTS AND LIFTING DETAILS PRIOR TO DELIVERY.
2. UNIT SUPPLIED WITH INLET & OUTLET HOLES PRE-CORED.
3. INLET AND OUTLET PIPES BY OTHERS.
4. SEALING / GROUTING OF CONCRETE LID AND PIPES BY CONTRACTOR, ENSURING LOCAL CODES AND REGULATIONS ARE COMPLIED WITH.
5. RISERS REQUIRED FROM VAULT LID TO ACCESS COVERS (FINISHED SURFACE LEVEL) SUPPLIED BY THE CONTRACTOR. CONTACT **0800STORMWATER** FOR RECOMMENDATIONS.
6. CONTRACTOR TO TAKE APPROPRIATE MEASURES TO PROTECT CARTRIDGES FROM CONSTRUCTION RELATED EROSION RUNOFF.
7. BACKFILL, BEDDING AND BUOYANCY DESIGN BY ENGINEER OF RECORD
8. QTY OF CARTRIDGES BY ENGINEER OF RECORD.
9. CONCRETE VAULT AND LID DESIGNED AND MANUFACTURED TO HN-HO-72
10. DESIGN CHECK REQUIRED WHEN COVER ABOVE LID EXCEEDS 1.0M
11. OTHER CONFIGURATIONS ARE POSSIBLE. FOR REQUIREMENTS OUTSIDE OF DRAWING SPECIFICATIONS PLEASE CONTACT **0800STORMWATER**.

**SECTION A-A**

**SECTION B-B**



0800 STORMWATER  
 sales@stormwater360.co.nz  
 www.stormwater360.co.nz

**CONDITION OF USE**  
 © STORMWATER360 2020  
 Any unauthorised reproduction of this drawing in part or in full is prohibited

**STORMFILTER@ PEAK DIVERSION OFF-LINE CARTRIDGE FILTRATION SYSTEM 11 x 69cm CART PD VAULT (LEFT INLET) GENERAL ARRANGEMENT**

SCALE : N.T.S. DRG No : SF-VPD-69-2525-L-20 REV : 1 DATE : 26/03/20

JOB NO :	REV	REVISION DETAIL	DATE
PROJECT :	1	WEIGHTS ADDED	26/03/20
DRN :	0	APPROVED	17/03/20
G.S :			
K.J :			